




PRODUCT MANUAL




Staff table



Name Staff Table
 Model QY01
 Size 1200(W)*1200(D)*750(H)
 1400(W)*1200(D)*750(H)


1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , after painting, with oil sprayed surface.
5. German finishing paper.



PRODUCT MANUAL



Staff table



Name	Staff Table
Model	QY02
Size	2400(W)*1200(D)*750(H) 2800(W)*1200(D)*750(H)

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , after painting, with oil sprayed surface.
5. The middle multi-functional support leg can be installed with national standard socket panel.
6. German finishing paper.

COLORS


C01 White

C13 Dark blue

PRODUCT MANUAL



Staff table




Name	Staff Table
Model	QY03
Size	3600(W)*1200(D)*750(H) 4200(W)*1200(D)*750(H)

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , after painting, with oil sprayed surface.
5. The middle multi-functional support leg can be installed with national standard socket panel.
6. German finishing paper.

COLORS


C01 White

C13 Dark blue



PRODUCT DETAILS

PRODUCT MANUAL



Name Staff Table
 Model **QY04**
 Size **1400(W)*1200(D)*750(H)**

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The attached cabinet adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, it can be interchanged left and right.
3. The support legs are made by die-casting aluminum , after painting, with oil sprayed surface.
4. German finishing paper.

Staff table




COLORS

C01 White

C15 Grey blue

PRODUCT MANUAL



Name	Staff Table
Model	QY05
Size	1200(W)*2400(D)*750(H) 1400(W)*2400(D)*750(H)



1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The attached cabinet adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, it can be interchanged left and right.
3. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
4. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
5. The support legs are made by die-casting aluminum , after painting, with oil sprayed surface.
6. German finishing paper.

Staff table



COLORS

C01 White


C15 Grey Blue

C13 Dark Blue



Staff table

PRODUCT MANUAL



Name	Staff Table
Model	QY06
Size	2400(W)*2400(D)*750(H) 2800(W)*2400(D)*750(H)



1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The attached cabinet adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, it can be interchanged left and right.
3. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
4. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
5. The support legs are made by die-casting aluminum , after painting, with oil sprayed surface.
6. German finishing paper.

Staff table



COLORS

C01 White

C15 Grey blue


C13 Dark blue



PRODUCT DETAILS

The single sliding door design allows the storage space of the host, files, etc. to be reasonably allocated, giving the user maximum activity space.


PRODUCT MANUAL



Name Staff Table
 Model **QY07**
 Size **1200(W)*1200(D)*750(H)**
1400(W)*1200(D)*750(H)

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The attached cabinet adopts 16MM thick E1 environmental protection MFC board, PVC edge banding.
3. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
4. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
5. The support legs are made by die-casting aluminum , after painting, with oil sprayed surface.
6. German finishing paper.

Staff table






PRODUCT DETAILS

The USB interface has become the standard in the office, and mobile phones, IPAD, notebooks, smart watches, etc. have already realized the Internet of Things. This is an era of intelligence. The multi-function screen clip solves the problems of pen and mobile phone placement and charging.

PRODUCT MANUAL



Name	Staff Table
Model	QY08
Size	2400(W)*1200(D)*750(H) 2800(W)*1200(D)*750(H)



Staff table



1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The attached cabinet adopts 16MM thick E1 environmental protection MFC board, PVC edge banding.
3. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
4. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
5. The support legs are made by die-casting aluminum , after painting, with oil sprayed surface.
6. German finishing paper.

COLORS

C01 White

C15 Gry blue

C13 Dark blue



PRODUCT DETAILS

The powerful routing function allows all the messy lines to be hidden inside the cabinet or under the countertop, which can basically meet the needs of daily computer hosts, monitors, audio, charging and other equipment, especially for desktop users.



Staff table




We are family.

QUME

CRAZY
EVERY
NOW &
SOMETIMES
CAT LADY
IS NOT
EVERY DAY

01-02
09-15
08-27
02-11
04-11
05-31

PRODUCT MANUAL



Name Staff Table
 Model QY09
 Size 2400(W)*1200(D)*750(H)
 2800(W)*1200(D)*750(H)

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The attached cabinet adopts 16MM thick E1 environmental protection MFC board, PVC edge banding.
3. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
4. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
5. The support legs are made by die-casting aluminum , after painting, with oil sprayed surface.
6. German finishing paper.

Staff table



COLORS

C01 White


C15 Grey blue

C13 Dark blue



Staff table


PRODUCT MANUAL



Name Staff Table
 Model **QY10**
 Size **3600(W)*1200(D)*750(H)**
4200(W)*1200(D)*750(H)

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The attached cabinet adopts 16MM thick E1 environmental protection MFC board, PVC edge banding.
3. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
4. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
5. The support legs are made by die-casting aluminum , after painting, with oil sprayed surface.
6. German finishing paper.

Staff table




PRODUCT MANUAL




Name Movable Cabinet
Model TG01
Size 340(W)*480(D)*560(H)

- 1. The cabinet is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 2. The inside of the cabinet is sorted and stored by large and small objects
- 3. The cabinet door is inlaid with brushed aluminum, reserved for the handle position
- 4. Cabinet drawer adopts high-strength 10-inch small three-section slides
- 5. German finishing paper.


Movable cabinet



PRODUCT MANUAL



File cabinet



Name File Cabinet
Model TG02
Size 800(W)*400(D)*1960(H)


- 1. The cabinet is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 2. The shelf board is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 3. The door of the cabinet is opened by magnetic impact, with damping door hinge.
- 4. German finishing paper.

COLORS			
	C01 White	C15 Grey blue	C05 Red

PRODUCT MANUAL



File cabinet



Name File Cabinet
Model TG03
Size 800(W)*400(D)*1960(H)


- 1. The cabinet is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 2. The shelf board is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 3. The door of the cabinet is opened by magnetic impact, with damping door hinge.
- 4. German finishing paper.

COLORS			
	C01 White	C15 Grey blue	C05 Red

PRODUCT MANUAL



File cabinet



Name File Cabinet
Model TG04
Size 800(W)*400(D)*1200(H)


- 1. The cabinet is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 2. The shelf board is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 3. The door of the cabinet is opened by magnetic impact, with damping door hinge.
- 4. German finishing paper.

COLORS			
	C01 White	C15 Grey blue	C05 Red

PRODUCT MANUAL




File cabinet




Name File Cabinet
Model TG05
Size 800(W)*400(D)*1200(H)


- 1. The cabinet is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 2. The shelf board is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 3. The door of the cabinet is opened by magnetic impact, with damping door hinge.
- 4. German finishing paper.



PRODUCT MANUAL



File cabinet




Name File Cabinet
Model TG06
Size 800(W)*400(D)*800(H)


- 1. The cabinet is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 2. The shelf board is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 3. The cabinet door adopts the sliding door of the upper and lower slides, with damping function at both ends of the slides
- 4. German finishing paper.

COLORS			
	C01 White	C15 Grey blue	C05 Red

PRODUCT MANUAL



File cabinet



Name File Cabinet
Model TG07
Size 800(W)*400(D)*828(H)

- 1. The cabinet is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 2. The shelf board is made of 16MM thickness E1 environmental protection MFC board, PVC edge banding.
- 3. The door of the cabinet is opened by magnetic impact, with damping door hinge.
- 4. German finishing paper.


COLORS			
	C01 White	C15 Grey blue	C05 Red



PRODUCT MANUAL



Staff table



Name Staff Table

Model **GY01**

Size **1200(W)*1200(D)*750(H)**

1400(W)*1200(D)*750(H)

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , gun-color electroplated surface, transparent PVC injection molding adjustable legs.
5. German finishing paper.

COLORS

C01 White

C13 Dark blue



PRODUCT DETAILS


The USB interface has become the standard in the office, and mobile phones, IPAD, notebooks, smart watches, etc. have already realized the Internet of Things. This is an era of intelligence. The multi-function screen clip solves the problems of pen and mobile phone placement and charging.



PRODUCT MANUAL



Staff table



Name	Staff Table
Model	GY02
Size	2400(W)*1200(D)*750(H) 2800(W)*1200(D)*750(H)

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , gun-color electroplated surface, transparent PVC injection molding adjustable legs.
5. Multi-functional support leg in the middle, you can install the national standard socket switch panel
6. German finishing paper.

COLORS

C01 White


C13 Dark blue



PRODUCT DETAILS

The surface of the multi-functional support leg is treated with gray electrostatic spraying, and strong and weak electricity can be output from here.

PRODUCT MANUAL



Name Staff Table

Model **GY03**

Size **3600(W)*1200(D)*750(H)**
4200(W)*1200(D)*750(H)



Staff table



1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , gun-color electroplated surface, transparent PVC injection molding adjustable legs.
5. Multi-functional support leg in the middle, you can install the national standard socket switch panel
6. German finishing paper.

COLORS


C01 White

C13 Dark blue





PRODUCT MANUAL



Name Staff Table

Model **GY04**

Size **1200(W)*2400(D)*750(H)**

1400(W)*2400(D)*750(H)

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , gun-color electroplated surface, transparent PVC injection molding adjustable legs.
5. The attached long cabinet in the middle, it can be interchanged left and right.
6. German finishing paper.

Staff table




COLORS

C01 White

C15 Grey blue

C13 Dark blue

PRODUCT MANUAL



Name Staff Table
 Model **GY05**
 Size **2400(W)*2400(D)*750(H)**
2800(W)*2400(D)*750(H)

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , gun-color electroplated surface, transparent PVC injection molding adjustable legs.
5. The attached long cabinet in the middle, it can be interchanged left and right.
6. German finishing paper.

Staff table




COLORS

C01 White


C15 Grey blue

C13 Dark blue





PRODUCT MANUAL



Name	Staff Table
Model	GY06
Size	1200(W)*1200(D)*750(H) 1400(W)*1200(D)*750(H)



1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , gun-color electroplated surface, transparent PVC injection molding adjustable legs.
5. The attached short cabinet in the middle, it can be left and right shared.
6. German finishing paper.

Staff table




COLORS

C01 White

C15 Grey blue

C13 Dark blue

PRODUCT MANUAL



Name Staff Table
 Model **GY07**
 Size **2400(W)*1200(D)*750(H)**
2800(W)*1200(D)*750(H)

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , gun-color electroplated surface, transparent PVC injection molding adjustable legs.
5. The attached short cabinet in the middle, with one drawer and one cover door.
6. German finishing paper.

Staff table



COLORS

C01 White

C15 Grey blue

C13 Dark blue




PRODUCT DETAILS

After the cabinet meets the basic storage support function, the national standard socket switch panel can be installed, and all lines are hidden inside the cabinet to keep the user's space clean and tidy.

PRODUCT MANUAL



Staff table



Name	Staff Table
Model	GY08
Size	2400(W)*1200(D)*750(H) 2800(W)*1200(D)*750(H)

1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , gun-color electroplated surface, transparent PVC injection molding adjustable legs.
5. The attached short cabinet in the middle, it can be left and right shared.
6. German finishing paper.


COLORS

C01 White

C15 Grey blue

C13 Dark blue

PRODUCT MANUAL



Name Staff Table
 Model **GY09**
 Size **3600(W)*1200(D)*750(H)**
4200(W)*1200(D)*750(H)



Staff table



1. The table top 25MM thickness, E1 environmental protection MFC board, PVC edge banding.
2. The table top is equipped with self-developed ABS screen clip, with USB interface, pen holder and mobile phone case.
3. The desktop screen adopts 16MM thick E1 environmental protection MFC board, PVC edge banding, streamlined shape.
4. The support legs are made by die-casting aluminum , gun-color electroplated surface, transparent PVC injection molding adjustable legs.
5. The attached short cabinet in the middle, it can be left and right shared.
6. German finishing paper.

COLORS

C01 White

C15 Grey blue

C13 Dark blue







